


## BENCHTOP VIBRATORY BOWLS



TLV 25  
.25 Cubic Foot




### TLV 25

- 2" dump chute with polyurethane expansion plug and bowl drain
- Heavy-duty polymer bowl
- Adjustable amplitude
- Sound cover
- Capacity: 1/4 cu. ft. (8 qt.)
- Motor: 1/4 HP, 115 V, 60 Hz\*
- Weight: 40 lbs.
- Overall Height: 19 1/2"



TLV 50  
.50 Cubic Foot




### TLV 50

- 2.5" dump chute with polyurethane expansion plug and bowl drain
- Heavy-duty polymer bowl
- Adjustable amplitude
- Sound cover
- Capacity: 1/2 cu. ft. (16 qt.)
- Motor: 1/2 HP, 115 V, 60 Hz\*
- Weight: 60 lbs.
- Overall Height: 26 1/2"



TLV 75  
.75 Cubic Foot



### TLV 75

- 3" dump chute with polyurethane expansion plug and bowl drain
- Heavy-duty polymer bowl
- Adjustable amplitude
- Sound cover
- Capacity: 3/4 cu. ft. (24 qt.)
- Motor: 1/2 HP, 115 V, 60 Hz\*
- Weight: 70 lbs.
- Overall Height: 29"

**\*All machines are available in 220 V, 50 Hz**

# BENCHTOP BOWL ACCESSORIES

## V-105 Complete System

(shown with TLV 75 not included)

Includes:

- V-100 Vibratory Stand:  
Rotational molded high density polyethylene (HDPE)  
Stand Dimensions: 23" L x 23" W x 19" H
- V-101 Fluid Circulating system  
7 gallon pail.  
Little Giant submersible pump with bracket flow metering valve.  
3 feet of 1/4" nylon reinforced vinyl tubing and all necessary fittings.
- V-104 Wall Mounted or Base Mounted Timer:  
Powder coated metal box.  
12-hour timer with 2 120-volt outlets, one for the machine and one for the fluid system.  
Separate switch to turn the pump on or off.  
Timer with hold feature to leave the machine on without being timed.
- For use with TLV 25, 50, 75
- Weight 48 lbs.



RCM  
deburring, inc.

RCM Deburring, Inc.  
26893 Bouquet Canyon Rd.  
Suite C-172  
Santa Clarita, CA 91350

www.rcmdeburring.com  
email: sales@rcmdeburring.com  
telephone: 661 • 296 • 9611  
fax: 661 • 296 • 9184

## V-100 Vibrator Stand

### V-100 Vibratory Stand

- Rotational molded high density polyethylene (HDPE)
- Weight: 33lbs.
- For use with TLV 25, 50, 75



## V-102 Circulation System

- 7 gallon pail.
- Little Giant submersible pump with bracket flow metering valve.
- 3 feet of 1/4" nylon reinforced vinyl tubing and all necessary fittings.
- 110 V, 60 Hz.
- Weight 10 lbs.

## V-104 Timer

- Powder coated metal box.
- 12-hour timer with 2 120-volt outlets, one for the machine and one for the fluid system.
- Separate switch to turn the pump on or off.
- Timer with hold feature to leave the machine on without being timed.
- Weight 5 lbs.

